CARMAX MINING CORP.

3rd Floor – Bellevue Centre

235 – 15 Street,

West Vancouver, British Columbia V7T 2X1

Canada

Telephone: (604) 921-1810 Facsimile: (604) 921-1898

NEWS RELEASE

TSX Venture Symbol: CXM December 7, 2011

Carmax Reports Partial Results of 2011 Field Program

Carmax Mining Corp. ("**Carmax**") is pleased to announce that it has now received results from 9 of the 25 holes drilled in the 2011 exploration season on the East Zone and Bornite Zone target areas of its Eaglehead Cu-Mo project located in northwestern British Columbia. The total program consisted of the drilling of 8,300 meters in 25 holes. All samples of split diamond drill core were forwarded to and assayed by ACME labs of Vancouver.

The results to date indicate extensions to previously known mineralized zones with Cu, Mo, Ag, and Au values with grades ranging from 0.16% Cu to 0.84%Cu over intervals ranging from 3 m to 87 m. The following is a summary of the results received from the 9 holes:

CARMAX MINING CORP.													
EAGLEHEAD PROJECT													
2011 INTERIM DRILLING RESULTS													
EAST ZONE DRILL HOLES													
Hole	ID	Intersection (m)			Interval		% Cu	% Mo		a/+ Aa		~/+ A	
		From	То		(m)		% Cu	% IVIO		g/t Ag		g/t Au	
96		19.5	2	9.6	10	0.1	().21		0.000		1.00	0.063
		46.5	5	1.5	1,	5.0	().46		0.010		0.90	0.095
		60.5	6	6.5	(6.0	(0.33		0.005		0.40	0.014
		89.0	9	5.0	(6.0	(0.39		0.001		4.40	0.708
		105.5	11	1.5	(6.0	().19		0.003		0.50	0.007
		132.5	15	8.0	2!	5.5	().25		0.006		0.70	0.151
		205.0	21	0.0	į	5.0	().24		0.000		2.20	0.012
		226.0	23	1.0	ĺ	5.0	().22		0.005		1.20	0.071
		238.0	32	5.8	8	7.8	().23		0.005		1.10	0.024

100	22.0	54.0	32.0	0.24	0.000	0.60	0.010
	138.0	149.0	11.0	0.84	0.022	1.80	0.051
	169.0	197.0	28.0	0.37	0.024	1.10	0.131
	239.0	244.0	5.0	0.28	0.002	0.50	0.010
	251.0	304.0	53.0	0.47	0.010	1.90	0.056
	321.0	334.0	13.0	0.18	N/A	N/A	0.010
	351.0	375.0	24.0	0.24	N/A	N/A	0.010
	414.0	423.0	9.0	0.42	N/A	N/A	0.218
	436.0	450.0	14.0	0.22	N/A	N/A	0.027
	473.0	518.0	45.0	0.28	0.010	1.20	0.040
101	154.0	160.0	6.0	0.39	0.002	1.30	0.024
	188.0	193.0	5.0	0.37	0.002	0.60	0.011
	216.0	264.0	48.0	0.26	0.011	0.90	0.028
102	24.0	58.0	34.0	0.52	0.008	2.90	0.043
	71.0	91.0	20.0	0.19	0.001	0.30	0.004
	151.0	155.0	4.0	0.18	0.000	0.60	0.018
	205.0	216.0	11.0	0.27	0.016	1.10	0.035
	238.0	259.0	21.0	0.24	0.009	1.20	0.198
	307.0	324.0	17.0	0.18	0.003	0.60	0.046
	350.0	353.0	3.0	0.21	0.003	0.50	0.026
103	38.0	66.0	28.0	0.70	0.001	2.30	0.014
	109.0	120.0	11.0	0.17	0.002	0.30	0.012
	142.0	150.0	8.0	0.19	0.006	0.50	0.015
	186.0	191.0	5.0	0.60	0.001	0.40	0.031
	213.0	225.0	12.0	0.22	0.018	1.00	0.049
	233.0	270.0	37.0	0.20	0.004	0.80	0.050
104	38.0	47.0	9.0	0.23	0.000	0.40	0.010
	66.0	84.0	18.0	0.26	0.000	1.10	0.012
	96.0	108.0	12.0	0.32	0.001	1.30	0.039
	120.0	124.0	4.0	0.19	0.002	1.10	0.015
	135.0	146.0	11.0	0.55	0.005	1.70	0.018
	196.0	200.0	4.0	0.20	0.050	0.50	0.017
	248.0	251.0	3.0	0.36	0.012	1.60	0.054
	286.0	294.0	8.0	0.40	0.012	1.50	0.030
	347.0	350.0	3.0	0.31	0.014	1.90	0.153

BORNITE ZONE DRILL HOLES							
Hole ID	Intersection (m)		Interval	% Cu	% Mo	a/+ Aa	~ /+ A
	From	То	(m)	% Cu	76 IVIU	g/t Ag	g/t Au
115	90.0	93.0	3.0	0.39	0.001	0.30	0.015
	178.0	194.0	16.0	0.27	0.001	0.70	0.084
	201.0	204.0	3.0	0.21	0.000	0.60	0.022
	213.0	227.0	14.0	0.20	0.001	0.80	0.018
	247.0	268.0	21.0	0.23	0.009	0.30	0.009
	306.0	309.0	3.0	0.20	0.004	0.80	0.042
	328.0	351.0	23.0	0.16	0.001	1.30	0.047
	363.0	374.0	11.0	0.29	0.007	0.60	0.013
116	14.0	36.0	22.0	0.38	0.002	2.20	0.058
	44.0	72.0	28.0	0.29	0.003	0.90	0.072
	142.0	181.0	39.0	0.50	0.030	1.40	0.106
	188.0	251.0	63.0	0.51	0.016	1.80	0.554
	258.0	261.0	3.0	0.30	0.003	3.10	0.322
	277.0	281.0	4.0	0.30	0.009	0.20	0.008
	295.0	300.0	5.0	0.21	0.006	0.40	0.027
	316.0	318.4	2.4	0.32	0.006	4.40	0.506
119	222.0	227.0	5.0	0.80	0.010	1.60	0.012
	236.0	241.0	5.0	0.31	0.002	1.10	0.051
	287.0	309.0	22.0	0.27	0.002	1.10	0.095
	338.0	347.0	9.0	0.32	0.003	2.60	0.206

Exploration to date has outlined at least six areas with porphyry-type copper-molybdenum mineralization on the property. Prior published drill results had indicated that the East Zone hosts at least ten zones of west-northwest trending porphyry type Cu-Mo mineralization within variably hydrothermally altered granodioritic rocks. In general, low grade gold and silver values are associated with Cu-Mo mineralization. Past exploration on the Bornite Zone has also revealed at least eight areas of Cu-Mo mineralization with similar orientation to the East Zone. The individual mineralized zones in both areas range in horizontal thickness from 5 m to 70 m and extend more than 400 m at depth within hydrothermally altered and mineralized zones that are approximately 500 m wide and 700 m to 800 m long.

The 25 additional holes drilled in 2011 are expected to further delineate the size and extent of the mineralization at the East Zone and Bornite Zone target areas.

Jevin Werbes, President of Carmax states "We are very pleased with the results received so far from the 2011 summer exploration program. The results indicate a potential for bulk mineable porphyry style copper-molybdenum mineralization".

Results from the remaining 16 holes will be published as received in the future.

, ,	ctor of Carmax, is the qualified person as defined in NI 43-1 information contained in this news release.	J1,
	_	
Jevin Werhes President		

For further information, please visit the website at www.sedar.com to view the Company's profile or contact Jevin Werbes at 604-921-1810.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.